

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application.

Listing of Claims:

1-12. (canceled)

13. (currently amended) A pharmaceutical composition useful in the treatment of asthma, said composition comprising an amount of an extract obtained from the plant *Murraya koenigii* effective for treating asthma together with at least one pharmaceutically acceptable additive;

wherein said extract is made by a process comprising:

i) extracting fresh leaves of *Murraya koenigii* with a solvent to obtain a percolate, said solvent being selected from the group consisting of a hydrocarbon solvent, a chlorinated hydrocarbon solvent, an alcohol solvent, an ether solvent and an ester solvent,

ii) separating the percolate from the leaves, and

iii) removing the solvent from the percolate to obtain said extract; and

wherein the at least one additive is a powder of a plant selected from the group consisting of ~~M.~~ *Murraya paniculate* Linn, ~~H.~~ *Hibiscus abelmoschus*, ~~T.~~ *Trachyspermum ammi*, ~~S.~~ *Syzygium aromaticum*, ~~A.~~ *Adhatoda vasica* Nees and ~~E.~~ *Euphorbia hirta*.

14. (canceled)

15. (currently amended) The composition as claimed in claim 13, wherein the composition comprises 80-100 mg of ~~M.~~Murraya paniculate Linn, 40-60 mg of ~~H.~~Hibiscus abelmoschus, 38-62 mg of ~~T.~~Trachyspermum ammi, 7-13 mg of ~~S.~~Syzygium aromaticum, 85 - 115 mg of ~~A.~~Adhatoda vasica Nees and 90-110 mg of ~~E.~~Euphorbia hirta.

16. (currently amended) The composition as claimed in claim 13, comprising:

<del>M.</del> <u>Murraya</u> <u>paniculata</u> Linn. Syn. <i>M. exotica</i> (KAMINI)	90mg
<del>H.</del> <u>Hibiscus</u> <u>abelmoschus</u> (JOWAN)	50mg
<del>T.</del> <u>Trachyspermum</u> <u>ammi</u> (LAVANGA)	50mg
<del>S.</del> <u>Syzygium</u> <u>aromaticum</u> (BASAK)	10mg
<del>A.</del> <u>Adhatoda</u> <u>vasica</u> Nees (PUSITOA)	100mg
<del>E.</del> <u>Euphorbia</u> <u>hirta</u>	100mg
<del>M. koenigii</del> <u>Murraya</u> <u>koenigii</u> (Suravi Neem)	100mg.

17. (currently amended) The composition as claimed in claim 13, wherein the extract of the plant ~~M. koenigii~~ Murraya koenigii is present in the range of 87-105 mg per dose.

18-19. (canceled)

20. (previously presented) The composition as claimed in claim 13, wherein the extract has active principles having R<sub>f</sub> values 0.73, 0.60, 0.34 and 0.14 in chloroform and methanol in the ratio 19:1 and R<sub>f</sub> values 0.60, 0.38, 0.24 and 0.15 in chloroform.

21. (previously presented) The composition as claimed in claim 13, wherein the extract exhibits four peaks having retention times of 3.37, 3.49, 4.0 and 5.69 minutes in high pressure liquid chromatography over octyl decyl silane medium using methanol solvent and detection of absorbance at 254 nm.

22. (currently amended) The composition as claimed in claim 13, wherein the extract obtained from the plant ~~M. koenigii~~ Murraya koenigii exhibits antioxidant activity.

23. (previously presented) A method for the treatment of asthma in a patient in need thereof, said method comprising:

administering to the patient an amount of a composition comprising an extract obtained from the plant *Murraya koenigii* obtained by a process comprising:

- i) extracting fresh leaves of *Murraya koenigii* with a solvent to obtain a percolate, said solvent being selected from the group consisting of a hydrocarbon solvent, a chlorinated solvent, an ester solvent, an alcohol solvent, water and a buffer;
- ii) separating the percolate from the leaves; and
- iii) removing the solvent from the percolate to obtain said extract.

24. (previously presented) The method as claimed in claim 23, wherein the extract obtained from *Murraya koenigii* is lyophilized.

25. (previously presented) The method as claimed in claim 23, wherein the mode of administration is oral for the treatment of mild or acute asthma.

26. (previously presented) The method as claimed in claim 23, wherein the dosage level of the composition is in between 325-600 mg twice daily for the period ranging from 3 to 30 days.

27. (previously presented) The method as claimed in claim 23, wherein the dosage level is in between 325-600 mg twice daily for the period ranging from 3 to 15 days for mild asthmatic condition.

28. (currently amended) The method as claimed in claim 24, wherein a powdered additive is added to the lyophilized extract, the powder being of at least one selected from the group consisting of M. ~~Murraya~~ paniculate Linn, H. ~~Hibiscus~~ abelmoschus, T. ~~Trachyspermum~~ ammi, S. ~~Syzygium~~ aromaticum, A. ~~Adhatoda~~ vasica Nees and E. ~~Euphorbia~~ hirta.

29. (currently amended) The method as claimed in claim 28, wherein the composition comprises 80-100 mg of M. ~~Murraya~~ paniculate Linn, 40-60 mg of H. ~~Hibiscus~~ abelmoschus, 38-62 mg of T. ~~Trachyspermum~~ ammi, 7-13 mg of S. ~~Syzygium~~ aromaticum, 85-115 mg of A. ~~Adhatoda~~ vasica Nees, 90-110 mg of E. ~~Euphorbia~~ hirta, together with 87-105 mg of M. ~~keenegii~~ Murraya koenigii per dose.

30. (currently amended) The method as claimed in claim 29, wherein the composition comprises 90 mg of M. ~~Murraya~~ paniculate Linn, 50 mg of H. ~~Hibiscus~~ abelmoschus, 50 mg of T. ~~Trachyspermum~~ ammi, 10 mg of S. ~~Syzygium~~ aromaticum, 100 mg of A. ~~Adhatoda~~ vasica Nees, 100 mg of E. ~~Euphorbium~~ hirta, along with 100 mg of M. ~~keenegii~~ Murray koenigii per dose.

31. (currently amended) The method as claimed in claim 24, wherein the composition comprises the additives ~~M.~~Murraya paniculate Linn, ~~H.~~Hibiscus abelmoschus, ~~T.~~Trachyspermum ammi, ~~S.~~Syzygium aromaticum, ~~A.~~Adhatoda vasica Nees, ~~E.~~Euphorbium hirta, and is also effective as an antidiarrheal, antiseptic, carminative, stimulant, antitussive, anti-bronchitis agent and for nourishment.

32. (currently amended) The method as claimed in claim 28, wherein the additives are obtained from:  
bark or root of ~~M.~~Murraya paniculate Linn; dried flower buds of ~~H.~~Hibiscus abelmoschus; leaves of ~~T.~~Trachyspermum ammi; whole plant parts of ~~S.~~Syzygium aromaticum; root of ~~A.~~Adhatoda vasica Nees and bark of ~~E.~~Euphorbium hirta.

33. (currently amended) A pharmaceutical composition having an antioxidant activity, said composition comprising an antioxidant effective amount of an extract obtained from the plant Murraya koenigii together with at least one pharmaceutically acceptable additive;

wherein said extract is made by a process comprising:

i) extracting fresh leaves of Murraya koenigii with a solvent to obtain a percolate, said solvent is selected from the group

consisting of a hydrocarbon solvent, a chlorinated hydrocarbon solvent and an ether solvent;

ii) separating the percolate from the leaves; and

iii) removing the solvent from the percolate to obtain said extract; and

wherein the at least one additive is a powder of a plant selected from the group of M. ~~Murraya~~ paniculate Linn, H. ~~Hibiscus~~ abelmoschus, T. ~~Trachyspermum~~ ammi, S. ~~Syzygium~~ aromaticum, A. ~~Adhatoda~~ vasica Nees and E. ~~Euphorbium~~ hirta.

34. (canceled)

35. (currently amended) The composition as claimed in claim 33, wherein the composition comprises 80-100 mg of M. ~~Murraya~~ paniculate Linn, 40-60 mg of H. ~~Hibiscus~~ abelmoschus, 38-62 mg of T. ~~Trachyspermum~~ ammi, 7-13 mg of S. ~~Syzygium~~ aromaticum, 85-115 mg of A. ~~Adhatoda~~ vasica Nees, 90-110 mg of E. ~~Euphorbium~~ hirta, together with 87-105 mg of M. ~~koenigii~~ Murraya koenigii per dose.

36. (currently amended) The composition as claimed in claim 35, wherein the composition comprises 90 mg of M. ~~Murraya~~ paniculate Linn, 50 mg of H. ~~Hibiscus~~ abelmoschus, 50 mg of T. ~~Trachyspermum~~ ammi, 10 mg of S. ~~Syzygium~~ aromaticum, 100 mg of A. ~~Adhatoda~~ vasica Nees, 100 mg of

~~E.~~Euphorbium hirta, together with 100 mg of ~~M.~~~~koenigii~~Murraya  
koenigii per dose.

37. (currently amended) The composition as claimed in claim ~~34~~,  
~~33~~, wherein the additives ~~M.~~Murraya paniculate Linn, ~~H.~~Hibiscus  
abelmoschus, ~~T.~~Trachyspermum ammi, ~~S.~~Syzygium aromaticum, ~~A.~~Adhatoda  
vasica Nees, ~~E.~~Euphorbium hirta along with ~~M.~~~~koenigii~~Murraya  
koenigii are used as an antidiarrheal, antiseptic, carminative,  
stimulant, antitussive, anti-bronchitis agent and nourishment,  
respectively.

38. (currently amended) The composition as claimed in claim 33,  
wherein the additives are selected from ~~M.~~Murraya paniculate Linn,  
~~H.~~Hibiscus abelmoschus, ~~T.~~Trachyspermum ammi, ~~S.~~Syzygium aromaticum,  
~~A.~~Adhatoda vasica Nees and ~~E.~~Euphorbium hirta, in the form of bark or  
root; seed; fruit; dried flower buds; leaves; whole plant; and root  
and bark, respectively.

39-51. (canceled)

52. (previously presented) The method as claimed in claim 27,  
wherein the dosage level is in between 325-600 mg twice daily for the  
period ranging from 15 - 30 days for acute asthmatic condition.



53-60. (canceled)